

L Number	Hits	Search Text	DB	Time stamp
-	207486	(block\$1 or data or packet\$1 or frame\$1 or message\$1) near8 (id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:40
-	101310	((block\$1 or data or packet\$1 or frame\$1 or message\$1) near8 (id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3)) same (transmit\$5 or transmission\$1 or tx or receiv\$3 or reception\$1 or rx or send\$3 or sent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:39
-	76006	((block\$1 or data or packet\$1 or frame\$1 or message\$1) near8 (id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3)) with (transmit\$5 or transmission\$1 or tx or receiv\$3 or reception\$1 or rx or send\$3 or sent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:40
-	30887	(id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (error\$1 or ack\$1 or nack\$1 or acknowledg\$6 or retransmi\$5 or re adj transmi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:44
-	10456	((block\$1 or data or packet\$1 or frame\$1 or message\$1) near8 (id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3)) with (transmit\$5 or transmission\$1 or tx or receiv\$3 or reception\$1 or rx or send\$3 or sent)) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (error\$1 or ack\$1 or nack\$1 or acknowledg\$6 or retransmi\$5 or re adj transmi\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:43
-	4893	(id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (ack\$1 or nack\$1 or acknowledg\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 09:35
-	3152	((block\$1 or data or packet\$1 or frame\$1 or message\$1) near8 (id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3)) with (transmit\$5 or transmission\$1 or tx or receiv\$3 or reception\$1 or rx or send\$3 or sent)) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (error\$1 or ack\$1 or nack\$1 or acknowledg\$6 or retransmi\$5 or re adj transmi\$5))) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (ack\$1 or nack\$1 or acknowledg\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:43
-	1788	(id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (retransmi\$5 or re adj transmi\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:49

-	281	((((block\$1 or data or packet\$1 or frame\$1 or message\$1) near8 (id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3)) with (transmit\$5 or transmission\$1 or tx or receiv\$3 or reception\$1 or rx or send\$3 or sent)) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (error\$1 or ack\$1 or nack\$1 or acknowledg\$6 or retransmi\$5 or re adj transmi\$5))) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (ack\$1 or nack\$1 or acknowledg\$6))) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (retransmi\$5 or re adj transmi\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:44
-	94863	(id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (consecutive\$2 or sequenc\$3 or sequential\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 07:50
-	139	((((block\$1 or data or packet\$1 or frame\$1 or message\$1) near8 (id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3)) with (transmit\$5 or transmission\$1 or tx or receiv\$3 or reception\$1 or rx or send\$3 or sent)) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (error\$1 or ack\$1 or nack\$1 or acknowledg\$6 or retransmi\$5 or re adj transmi\$5))) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (ack\$1 or nack\$1 or acknowledg\$6))) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (retransmi\$5 or re adj transmi\$5))) and ((id\$1 or identify or identifying or identifier\$1 or identification\$1 or identit\$3) with (consecutive\$2 or sequenc\$3 or sequential\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 09:34
-	17549	sequence adj number\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:06
-	1204	(sequence adj number\$1) with (ack\$1 or nak\$1 or nack\$1 or acknowledg\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:27
-	604	(sequence adj number\$1) with retransmi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 09:38
-	704	(sequence adj number\$1) with (retransmi\$6 or re adj transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:26

-	350	((sequence adj number\$1) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)) and ((sequence adj number\$1) with (retransmi\$6 or re adj transmi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 09:39
-	256	((sequence adj number\$1) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)) same ((sequence adj number\$1) with (retransmi\$6 or re adj transmi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 09:39
-	2139	(sequence adj number\$1).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 09:47
-	76	((sequence adj number\$1) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)) same ((sequence adj number\$1) with (retransmi\$6 or re adj transmi\$6))) and ((sequence adj number\$1).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 09:47
-	1713	(ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:26
-	620	((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:05
-	5515	(window\$1 or outstanding or before) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:28
-	295	((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)) and ((window\$1 or outstanding or before) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:28
-	93	((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)) and ((window\$1 or outstanding or before) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6))) and ((sequence adj number\$1).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:28
-	1603	(window\$1 or outstanding) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:05
-	203	((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)) and ((window\$1 or outstanding) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:29

-	61	(((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)) and ((window\$1 or outstanding) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6))) and ((sequence adj number\$1).clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:29
-	34	((((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)) and ((window\$1 or outstanding) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6))) and ((sequence adj number\$1).clm.)) not (((sequence adj number\$1) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)) same ((sequence adj number\$1) with (retransmi\$6 or re adj transmi\$6))) and ((sequence adj number\$1).clm.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:20
-	27	((((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)) and ((window\$1 or outstanding) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6))) and ((sequence adj number\$1).clm.)) not (((((ack\$1 or nak\$1 or nack\$1 or acknowledged\$6) same sequence adj number\$1) same (retransmi\$6 or re adj transmi\$6)) and ((window\$1 or outstanding) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6))) and ((sequence adj number\$1).clm.)) not (((sequence adj number\$1) with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)) same ((sequence adj number\$1) with (retransmi\$6 or re adj transmi\$6))) and ((sequence adj number\$1).clm.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:20
-	1203	window\$1 with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:05
-	255	(window\$1 with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)) same (retransmi\$6 or re adj transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:06
-	68	((window\$1 with (ack\$1 or nak\$1 or nack\$1 or acknowledged\$6)) same (retransmi\$6 or re adj transmi\$6)) same (sequence adj number\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:06